

Application No.: 09/888,224

4

Docket No.: 564462000520

Amendment to the Claims:

Please amend the claims as follows.

Please cancel claims 97 to 100, 102, 104, 105, 108, 109, 113 to 114, without prejudice.

This listing of claims will replace all prior versions, and listing, of claims in the application:

Listing of Claims:

Claims 1 to 41 (canceled)

Claim 42 (currently amended): A method of generating a nucleic acid encoding an endoglucanase endonuclease comprising:

obtaining a nucleic acid encoding an endoglucanase endonuclease comprising a sequence having at least about 70% ~~[[50%]]~~ sequence identity to a sequence as set forth in SEQ ID NO:1, or sequences complementary thereto; and

modifying one or more nucleotides in said sequence to another nucleotide, deleting one or more nucleotides in said sequence, or adding one or more nucleotides to said sequence.

Claim 43 (currently amended): The method of claim 42, wherein the modifications are introduced by a method selected from the group consisting of error-prone PCR, shuffling, oligonucleotide-directed mutagenesis, assembly PCR, sexual PCR mutagenesis, *in vivo* mutagenesis, cassette mutagenesis, recursive ensemble mutagenesis, exponential ensemble mutagenesis, site-specific mutagenesis, gene reassembly, Gene Site Saturation MutagenesisTM (GSSMTM) ~~gene site-saturated mutagenesis~~ and any combination thereof.

Claim 44 (original): The method of claim 42, wherein the modifications are introduced by error-prone PCR.

Claim 45 (original): The method of claim 42, wherein the modifications are introduced by shuffling.

Application No.: 09/888,224

5

Docket No.: 564462000520

Claim 46 (original): The method of claim 42, wherein the modifications are introduced by oligonucleotide-directed mutagenesis.

Claim 47 (original): The method of claim 42, wherein the modifications are introduced by assembly PCR.

Claim 48 (original): The method of claim 42, wherein the modifications are introduced by sexual PCR mutagenesis.

Claim 49 (original): The method of claim 42, wherein the modifications are introduced by *in vivo* mutagenesis.

Claim 50 (original): The method of claim 42, wherein the modifications are introduced by cassette mutagenesis.

Claim 51 (original): The method of claim 42, wherein the modifications are introduced by recursive ensemble mutagenesis.

Claim 52 (original): The method of claim 42, wherein the modifications are introduced by exponential ensemble mutagenesis.

Claim 53 (original): The method of claim 42, wherein the modifications are introduced by site-specific mutagenesis.

Claim 54 (original): The method of claim 42, wherein the modifications are introduced by gene reassembly.

Claim 55 (currently amended): The method of claim 42, wherein the modifications are introduced by Gene Site Saturation MutagenesisTM (GSSMTM) ~~gene-site-saturated mutagenesis~~.

Application No.: 09/888,224

6

Docket No.: 564462000520

Claims 56 to 87 (canceled)

Claim 88 (currently amended): A method for modifying small molecules, comprising

- providing a polypeptide encoded by a polynucleotide comprising a sequence having at least about 70% ~~[[50%]]~~ identity to SEQ ID NO:1 and encoding a polypeptide having an endoglucanase activity,
- providing a small molecule; and
- mixing the polypeptide with the small molecule to produce a modified small molecule.

Claim 89 (currently amended): The method of claim 88 wherein the a library of modified small molecule molecules is tested to determine if it a modified small molecule is present within the library which exhibits a desired activity.

Claim 90 (original): The method of claim 89 wherein a specific biocatalytic reaction which produces the modified small molecule of desired activity is identified by systematically eliminating each of the biocatalytic reactions used to produce a portion of the library, and then testing the small molecules produced in the portion of the library for the presence or absence of the modified small molecule with the desired activity.

Claim 91 (original): The method of claim 90 wherein the specific biocatalytic reactions which produce the modified small molecule of desired activity is optionally repeated.

Claim 92 (original): The method of claim 90 or 91 wherein

- the biocatalytic reactions are conducted with a group of biocatalysts that react with distinct structural moieties found within the structure of a small molecule,
- each biocatalyst is specific for one structural moiety or a group of related structural moieties; and

Application No.: 09/888,224

7

Docket No.: 564462000520

each biocatalyst reacts with many different small molecules which contain the distinct structural moiety.

Claim 93 (currently amended): A method of generating a nucleic acid encoding an endoglucanase ~~endonuclease~~ comprising:

obtaining a nucleic acid encoding an endoglucanase ~~endonuclease~~, wherein the nucleic acid comprises at least ~~[[30]]~~ 75 consecutive residues ~~residue~~ of a sequence having at least about 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% ~~[[50%]]~~ sequence identity to a sequence as set forth in SEQ ID NO:1 or sequences complementary thereto; and

modifying one or more nucleotides in the sequence to another nucleotide, deleting one or more nucleotides in the sequence or adding one or more nucleotides to the sequence.

Claim 94 (currently amended): A method of generating a nucleic acid encoding an endoglucanase ~~endonuclease~~ comprising:

obtaining a nucleic acid comprising a sequence as set forth in SEQ ID NO:1 or sequences complementary thereto; and

modifying one or more nucleotides in the sequence to another nucleotide, deleting one or more nucleotides in the sequence or adding one or more nucleotides to the sequence.

Claim 95 (currently amended): A method for modifying a small molecule comprising:

providing a polypeptide having an endoglucanase activity, wherein the polypeptide is encoded by a nucleic acid comprising at least ~~[[30]]~~ 75 consecutive residues ~~residue~~ of a sequence having at least about 70% ~~[[50%]]~~ sequence identity to a sequence as set forth in SEQ ID NO:1 or sequences complementary thereto;

providing a small molecule; and

mixing the polypeptide with the small molecule to produce a modified small molecule.

Application No.: 09/888,224

8

Docket No.: 564462000520

Claim 96 (currently amended): A method for modifying a small molecule comprising:

providing a polypeptide having an endoglucanase activity, wherein the polypeptide is encoded by a nucleic acid comprising a sequence as set forth in SEQ ID NO:1 ~~or sequences complementary thereto~~;

providing a small molecule; and

mixing the polypeptide with the small molecule to produce a modified small molecule.

Claims 97 to 100 (canceled)

Claim 101 (currently amended): The method of claim ~~[[100]]~~ 42, wherein the nucleic acid encoding the endoglucanase comprises at least 30 consecutive residues ~~residue~~ of a sequence having at least about ~~[[75%]]~~ 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO: 1.

Claim 102 (canceled)

Claim 103 (currently amended): The method of claim ~~[[102]]~~ 42, wherein the nucleic acid encoding the endoglucanase comprises at least ~~[[30]]~~ 40 consecutive residues ~~residue~~ of a sequence having at least about 85%, 90%, 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO: 1.

Claims 104-105 (canceled)

Claim 106 (currently amended): The method of claim ~~126~~ ~~[[105]]~~, wherein the nucleic acid comprises at least 30 consecutive residues ~~residue~~ of a sequence having at least about 96% sequence identity to a sequence as set forth in SEQ ID NO: 1.

Application No.: 09/888,224

9

Docket No.: 564462000520

Claim 107 (currently amended): The method of claim 126 ~~[[106]]~~, wherein the nucleic acid comprises at least ~~[[30]]~~ 75 consecutive residues ~~residue~~ of a sequence having at least about 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO: 1.

Claims 108-109 (Canceled)

Claim 110 (currently amended): The method of claim 126 ~~93 or claim 95~~, wherein the endoglucanase ~~endonuclease~~ activity comprises a carboxymethyl cellulase activity.

Claim 111 (currently amended): A method of generating and identifying a nucleic acid encoding a polypeptide having endoglucanase activity ~~an endonuclease~~ comprising:

obtaining a nucleic acid encoding an endoglucanase ~~endonuclease~~ comprising a sequence having at least about 70% ~~[[50%]]~~ sequence identity to a sequence as set forth in SEQ ID NO: 1 or sequences complementary thereto;

modifying one or more nucleotides in the sequence to another nucleotide, deleting one or more nucleotides in the sequence, or adding one or more nucleotides to the sequence; and

identifying a modified nucleic acid encoding a polypeptide having ~~[[an]]~~ endoglucanase ~~endonuclease~~ activity.

Claim 112 (currently amended): A method for modifying a small molecule such that the small molecule will have a desired activity comprising:

providing a polypeptide having endoglucanase ~~an endonuclease~~ activity, wherein the polypeptide ~~[[has]]~~ is encoded by a nucleic acid having at least about 70% ~~[[50%]]~~ sequence identity to a sequence as set forth in SEQ ID NO:1 ~~or sequences complementary thereto~~;

providing a small molecule;

mixing the polypeptide with the small molecule to produce a modified small molecule; and,

testing the modified small molecule for the desired activity.

Application No.: 09/888,224

10

Docket No.: 564462000520

Claim 113 to 114 (canceled)

Claim 115 (new): The method of claim 88, wherein mixing the polypeptide with the small molecule produces a library of modified small molecules.

Claim 116 (new): The method of claim 115, wherein the library of modified small molecules is tested to determine if a modified small molecule exhibiting a desired activity is present within the library.

Claim 117 (new): The method of claim 42, wherein the sequence identity is 75%.

Claim 118 (new): The method of claim 42, wherein the sequence identity is 80%.

Claim 119 (new): The method of claim 42, wherein the sequence identity is 85%.

Claim 120 (new): The method of claim 42, wherein the sequence identity is 90%.

Claim 121 (new): The method of claim 42, wherein the sequence identity is 95%.

Claim 122 (new): The method of claim 42, wherein the sequence identity is 97%.

Claim 123 (new): A method of generating a nucleic acid encoding an endoglucanase comprising:

obtaining a nucleic acid encoding an endoglucanase, wherein the nucleic acid comprises a sequence that (a) hybridizes under stringent conditions to a sequence as set forth in SEQ ID NO:1, and the stringent hybridization conditions comprise a wash step comprising washing for 30 minutes at room temperature in a solution comprising 150 mM NaCl, 20 mM Tris hydrochloride, pH 7.8, 1 mM Na₂EDTA, 0.5% SDS, followed by a 30 minute wash in fresh

Application No.: 09/888,224

11

Docket No.: 564462000520

solution, or (b) sequences complementary to (a); and

modifying one or more nucleotides in said sequence to another nucleotide, deleting one or more nucleotides in said sequence, or adding one or more nucleotides to said sequence.

Claim 124 (new): A method for modifying small molecules, comprising providing a polypeptide having endoglucanase activity encoded by a nucleic acid comprising a sequence that (a) hybridizes under stringent conditions to a sequence as set forth in SEQ ID NO:1, and the stringent hybridization conditions comprise a wash step comprising washing for 30 minutes at room temperature in a solution comprising 150 mM NaCl, 20 mM Tris hydrochloride, pH 7.8, 1 mM Na₂EDTA, 0.5% SDS, followed by a 30 minute wash in fresh solution,

providing a small molecule; and

mixing the polypeptide with the small molecule to produce a modified small molecule.

Claim 125 (new): The method of claim 123 or claim 124, wherein the endoglucanase activity comprises a carboxymethyl cellulase activity.

Claim 126 (new): A method for modifying a small molecule comprising: providing a polypeptide having an endoglucanase activity, wherein the polypeptide is encoded by a nucleic acid comprising at least 30 consecutive residues of a sequence having at least about 95% sequence identity to a sequence as set forth in SEQ ID NO:1;

providing a small molecule; and

mixing the polypeptide with the small molecule to produce a modified small molecule.

Claim 127 (new): The method of claim 126, wherein the polypeptide is encoded by a nucleic acid comprising at least 40 consecutive residues of a sequence having at least about 85%, 90%, 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO:1.

Application No.: 09/888,224

12

Docket No.: 564462000520

Claim 128 (new): The method of claim 111, wherein the nucleic acid encoding an endoglucanase comprises at least 30 consecutive residues of a sequence having at least about 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO: 1.

Claim 129 (new): The method of claim 111, wherein the nucleic acid encoding an endoglucanase comprises at least 40 consecutive residues of a sequence having at least about 85%, 90%, 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO: 1.

Claim 130 (new): The method of claim 111, wherein the nucleic acid encoding an endoglucanase comprises at least 75 consecutive residues of a sequence having at least about 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO: 1.

Claim 131 (new): The method of claim 112, wherein the polypeptide having endoglucanase activity is encoded by a nucleic acid comprising at least 30 consecutive residues of a sequence having at least about 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO: 1.

Claim 132 (new): The method of claim 112, wherein the polypeptide having endoglucanase activity is encoded by a nucleic acid comprising at least 40 consecutive residues of a sequence having at least about 85%, 90%, 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO: 1.

Claim 133 (new): The method of claim 112, wherein the polypeptide having endoglucanase activity is encoded by a nucleic acid comprising at least 75 consecutive residues of a sequence having at least about 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% sequence identity to a sequence as set forth in SEQ ID NO: 1.